PRIDE SEEDS

Your 2025

SEED GUIDE

Honouring Our Roots, Cultivating Your Future

75

Western Canada

PARTNERS IN THE FIELDS

YOUR LOCAL AGRONOMIC EXPERTISE WITH GLOBAL ROOTS AND REACH

You have access to PRIDE Seeds personal agronomy guidance and a product line up designed to help growers take full advantage of the seed's genetic potential.

You can be confident in the knowledge that you're accessing world-class products and services for your farm. This includes testing in Canada with national research projects, in-the-field collaboration with growers, and local production and distribution.

Growers and dealers have access to the best-in-class products and customer service from the team at PRIDE Seeds.

PRIDE Seeds dedicated sales, agronomy, and customer service teams provide expertise and service tailored to meet your farms needs.

Our team provides timely field support to answer your questions, particularly during stand establishment in the spring.

MEET YOUR DEDICATED TEAM

ROOTED IN STRENGTH, CULTIVATING PARTNERSHIPS

A great partnership is born out of strong roots and a simple promise to be the best partner possible. That's PRIDE Seeds.

YOUR CHALLENGES DRIVE OUR PRIORITIES

Supported by AgReliant Genetics, our parent company focused solely on seed and delivering one-of-a-kind germplasm never-before seen in North America. AgReliant doesn't stop there. They've significantly invested in research and development focused on the discovery of new, diverse hybrid innovation to provide unique, high performing solutions for your specific pest, disease, and weather challenges for today and for the future.

We log more than 50,000 in-season hours of agronomic review of a full 800,000 test plots, with up to 50 measured traits per hybrid. Because we can't promise to do right by our farmers if we don't put in the work and deliver seed choices that perform both on your prize acres and your surprise acres.

Our research and development program centers on our farmers and how they grow. Every year our team prioritizes the pest and disease challenges our farmers face in their fields as well as what is coming down the road. These challenges drive our research program to come up with new hybrid solutions to win each year and allow our farmers to plant with confidence. How do we do it? It starts with 100% focus on seed—no extras, no nonsense, just developing good unique seed, proven to deliver for our farmers.

GLOBAL GERMPLASM

HYBRID DEVELOPMENT

PROVEN CHOICES

800 000
TEST PLOTS WORLDWIDE

70 000+
HYBRIDS TESTED YEARLY

UP TO
50 MEASURED TRAITS
PER HYBRID

5+ YEARS
CONSISTENT ANNUAL YIELD INCREASES

50 000+
IN-SEASON HOURS OF AGRONOMIC REVIEW

PROTECTION FROM PESTS

Thanks to a two-pronged approach, your crops gain protection from a range of above- and below-ground pests. Our hybrids feature a full range of traits and treatments to address any challenges you may encounter, ensuring maximum safety.

Above-Ground

Unique traits protect your plants—ear, leaf, and stalk—from a range of above-ground pests. Combined with broad below-ground protection, these traits set your fields up for success.

VTDoublePRO® Trecepta®

Above & Below Ground

Separate proteins bind together, enabling unique modes of action and providing maximum coverage for your crops both above and below ground. Protection for your roots and your above-ground plants, in a single hybrid.

SmartStax® SmartStax® RIB COMPLETE® Duracade®

PRIDE G SERIES

	G2 VT DOUBLE PRO® RIB Complete®	G4 TRECEPTA® RIB Complete®	G7 DURACADE Viptera™ Refuge Renew™	G8 SMARTSTAX® RIB Complete®	G9 SMARTSTAX® PRO RIB Complete®
REFUGE					
Corn Region	5% RIB Complete®	5% RIB Complete®	5% Refuge	5% RIB Complete®	5% RIB Complete®
HERBICIDE TOLERANCE					
Herbicide Tolerance	Roundup Ready® 2 Technology	Roundup Ready® 2 Technology	Glyphosate Tolerant LibertyLink®*	Roundup Ready® 2 Technology LibertyLink®*	Roundup Ready® 2 Technology LibertyLink®*
ABOVE-GROUND INSECT CONTROL OR SUPPRESSION					
Corn Earworm Helicoverpa zea	●●	●●●	●	●●	●●
Western Bean Cutworm Richia albicosta	-	●	-	-	-
European Corn Borer Ostrinia nubilalis	●●	●●	●●	●●●	●●●
Southwestern Corn Borer Diatraea grandiosella	●●	●●●	●●	●●●	●●●
Fall Armyworm Spodoptera frugiperda	●●	●●●	●	●●●	●●●
Black Cutworm Agrotis ipsilion	-	●	●	●	●
BELOW-GROUND INSECT CONTROL OR SUPPRESSION					
Northern Corn Rootworm Diabrotica barberi	-	-	●●	●●	●●●
Western Corn Rootworm Diabrotica virgifera vigifera	-	-	●●	●●	●●●

Mode of Action = Control or Suppression of Pest ● Single Mode Activity ●● Dual Mode Activity ●●● Dual Mode Activity

*Please read seed tag to confirm the herbicide tolerance of the refuge component before use of glufosinate or glyphosate. DuPont Pioneer claims suppression of corn earworm on Optimum® AcreMax® 1, Optimum® AcreMax®, and Optimum® AcreMax® Xtreme labels with Herculex® I technology. Cry1A.105 and Cry2Ab2 from B.t. controls or suppresses corn earworm. Syngenta claims suppression of corn earworm with Bt11. Performance may vary from location to location and from year to year, as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible and should consider the impacts of these conditions on the grower's fields. DuracadeViptera™, Viptera™Z3, Viptera™, and Agrisure Viptera® 3110A contain Agrisure Artesian® technology.

GRAIN CORN HYBRIDS



CORN HYBRID PROTECTION

Our research and development program centers on our farmers and how they grow. Every year our team prioritizes the pest and disease challenges our farmers face in their fields as well as what is coming down the road. These challenges drive our research program to come up with new hybrid solutions to win each year and allow our farmers to plant with confidence.

+FUNGICIDES

Advanced early to mid-season protection against soil and seed-borne diseases, including Fusarium, Rhizoctonia solani, and Pythium.

+INSECTICIDES

Controls over 15 corn insect pests, safeguarding your crops from early season pests: wireworm, seedcorn maggot, white grub, and black cutworm.

+NEMATICIDES

Protection from a wide range of nematode species.

LAUNCHING THIS YEAR:
FORTENZA COMPLETE
Learn more at **prideseeds.com**

Seed treatments offer your crops the opportunity to fulfill their genetic potential in the field. With early emergence matched by early season protection, you can rely on the benefits of strong roots, disease resistance, insect control, and positioning for maximum yield.

Vayantis® fungicide seed treatment offers the most powerful compound to protect corn seedlings from Pythium, giving you the added security of knowing your corn genetics are protected. Now included in all PRIDE Seeds hybrids treated with Acceleron® or AgriShield® seed treatment.

Pythium poses a huge threat for corn growers, causing more damage than Fusarium and Rhizoctonia seedling diseases combined.

+FUNGICIDES

Early season protection for consistent control against soil-borne and seed-borne diseases:

- Rhizoctonia
- Pythium
- Fusarium
- Penicillium
- Aspergillus

+INSECTICIDES

Always-on protection for control against a wide range of insects, including:

- Wireworm
- European Chafer
- White Grub
- Seedcorn Maggot

+NEMATICIDES

Safeguards your crops against the damage of targeted nematode species:

- Root-Knot
- Root-Lesion

		MaximQuattro	Vayantis	Vibrance	Draco	Fortenza	MODES OF ACTION
SOIL - AND/OR SEED-BORNE DISEASES	PYTHIUM SPECIES	●●	●				3
	FUSARIUM SPECIES	●●			●**		3
	RHIZOCTONIA SPECIES	●●		●	●*		4
	PENICILLIUM	●●●					3
	ASPERGILLUS	●●●					3
NEMATODES	LESION NEMATODE				●**		1
	ROOT KNOT NEMATODE				●*		1
EARLY SEASON INSECTS	WIREWORMS					●	1
	EUROPEAN CHAFER					●	1
	CUTWORM					●	1
	SEEDCORN MAGGOT					●*	1

CORN LEGEND



ARGONOMIC CHARACTERISTICS

Relative Maturity (RM)
Based on physiological maturity and harvest moisture.

Silage Proven
Rating based on digestibility and net energy on a per-acre basis. Our Silage Proven products undergo rigorous testing and measurements against industry standards to determine their value compared to existing corn silage hybrids.

Early Vigor
Emergence and early growth. Longest markers are fastest.

Greensnap Tolerance
During periods of rapid growth, before pollination, some products are more susceptible to summer stalk breakage when subjected to high winds. Across the Corn Belt, the summer stalk breakage potential increases to the West. Shortest markers are most susceptible to breakage.

Drydown
Longer markers indicate faster drydown. Use to compare with products of similar maturity.

Staygreen
Ability of the plant to maintain photosynthates in the leaves and stalk longer during the season.

Drought Tolerance
Longer markers indicate tolerance to heat stress and drier conditions. Not an absolute rating, as extreme conditions will likely affect performance.

Test Weight
Longer markers indicate heavier test weights.

Harvest Appearance
Longer markers indicate better plant intactness later into the harvest season.

GDD
The number of heat units (Growing Degree Days) required by a corn plant from the time it is planted to reach silk, pollen, and black layer.

CROP MANAGEMENT

Plant Population
Desired final population stand. This should be adjusted to specific management and environmental circumstances.

Continuous Corn
Takes into account the overall health rating of a product because of increased disease pressure of planting corn following corn.

Adapt To No-Till
This rating is closely related to emergence and early growth, as soils planted no-till are often colder and wetter.

PLANT HEALTH

Fungicide Response
Good, very good, or excellent indicates response to fungicide application in adverse disease environments.


Indicates good rating


Indicates very good rating


Indicates excellent rating

Disease Tolerance
In adverse disease environments, the longest marker indicates high tolerance and shortest indicates poor tolerance.

Tar Spot
Tar Spot is a yield-harming fungus indicated by small raised black circular stromata on the leaves. Markers indicate tolerance (longest marker), moderate tolerance and moderate susceptibility.

Goss' Wilt
Goss's wilt is a bacterial disease of corn. It is caused by gram positive bacteria, Clavibacter michiganensis subsp. nebraskensis (CMN). This disease can cause both foliar symptoms and systemic wilt of corn.


Indicates fair rating


Indicates good rating


Indicates very good rating

PLANT CHARACTERTISTICS

Flowering for Maturity
Flowering occurs earlier, at the same time (mid), or later as compared to similar maturity products.

Plant Height
Medium-Short, Medium, Medium-Tall, or Tall.

Ear Height
Low, Medium-Low, Medium, Medium-High, or High.

Ear Type
Semi-Flex, Flex, or Fixed.

CHARACTERISTIC INDICATORS

Looking for drought tolerance, corn-on-corn or Tar Spot resistance? To help you find hybrids with the characteristics you value, look for these icons.

- Corn-on-Corn/Continuous Corn
- Strong Disease Package/High Disease Tolerance
- Drought Tolerance
- Early Emergence/Early Planting
- Late Season Intactness
- Stalk/Root Strength
- Tar Spot Tolerant
- Top-End Yield
- New Product



PRODUCT RATINGS

Product rating characteristics are assigned by PRIDE Seeds based on comparisons with other PRIDE Seeds products, not competitor products, through in-house field testing. Performance may vary from location to location and from year to year, as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible and should consider the impacts of these conditions on their fields.

Rating Markers
Visual markers are used to indicate ratings, replacing the numeric values used in previous seed guides.

●●○○○○○○
Indicates moderate rating (>6)

●●●●○○○○
Indicates good rating (6-7)

●●●●●●○○
Indicates very good rating (8)

●●●●●●●●
Indicates excellent rating (9)

--
Indicates no value available or not applicable

TRAIT VERSIONS

These value-added trait versions are currently offered for corn:

Roundup Ready 2 Corn

VT DoublePRO RIB Complete

Trecepta RIB Complete

Duracade Viptera

SmartStax RIB Complete

SmartStax PRO with RNAi Technology

CONVENTIONAL

SmartStax PRO RIB Complete

A3979 G2 RIB

VTDoublePRO RIB COMPLETE

2025 CHU

Very strong early grain hybrid for short season maturity zones. Excellent emergence and seedling vigour for a fast early season start. Very nice ear girth and consistency. Flowers appropriate for heat unit rating with rapid drydown for maturity. Has shown very stable, high yield potential for maturity rating.

- Early flowering and finish
- Rapid drydown allows for early harvest
- Strong leaf disease tolerance

CHARACTERISTICS

Relative Maturity	70 Days
Emergence	●●●●●●●●
Grain Drydown	●●●●●●●●
Staygreen	●●●●○○○○
Drought Tolerance	●●●●●●○○
Test Weight	●●●●●●○○
Plant Health	●●●●●●○○

MANAGEMENT

Low Populations	●●●●●●●●
Med Populations	●●●●●●●●
High Populations	●●●●●●○○
Marginal Soil	●●●●●●●●
Productive Soil	●●●●●●○○
Continuous Corn	●●●●○○○○
Adapt to No-Till	●●●●●●○○

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○
Gray Leaf Spot	●●●●●●○○
Anthracnose	●●●●●●○○
Gibberella Ear Mould	●●●●●●●●
Fungicide Response	●●●●●●○○
Tar Spot	--

Mid Flowering: 1080 GDU

Plant Height: M

Ear Type: SF

Stalk Strength ●●●●●●○○

Root Strength ●●●●●●●●

Growing Degree Days (GDD)

Flowering: A • **Black Layer:** 2150

Planting Rate 32-36 000 Plants per Acre

NOTES

A4494 G2 RIB

VTDoublePRO RIB COMPLETE

NEW

2250 CHU

Provides trait protection for above ground insects. Combines top-end high yield potential and stability across soil types. Handles drought conditions very well. Medium length/girthy ears producing quality clean grain. Versatile, with a strong agronomic package...stands tough and yields big.

- Impressive season-long plant integrity allows for flexibility on harvest schedule
- Strong spring emergence and vigour
- Displays good stand establishment in tough conditions

CHARACTERISTICS

Relative Maturity	76 Days
Emergence	●●●●●●○○
Grain Drydown	●●●●○○○○
Staygreen	●●●●●●●●
Drought Tolerance	●●●●●●○○
Test Weight	●●●●●●○○
Plant Health	●●●●●●○○

MANAGEMENT

Low Populations	●●●●●●○○
Med Populations	●●●●●●●●
High Populations	●●●●●●○○
Marginal Soil	●●●●○○○○
Productive Soil	●●●●●●●●
Continuous Corn	●●●●○○○○
Adapt to No-Till	●●●●●●○○

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○
Gray Leaf Spot	●●●●●●○○
Anthracnose	●●●●●●●●
Gibberella Ear Mould	●●●●●●●●
Fungicide Response	●●●●●●○○
Tar Spot	--

Mid Flowering: 1090 GDU

Plant Height: MS

Ear Type: SF

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●●●

Growing Degree Days (GDD)

Flowering: E • **Black Layer:** 2230

Planting Rate 32-36 000 Plants per Acre

NOTES

A4646 G2 RIB

VTDoublePRO RIB COMPLETE

2300 CHU

High performance dual-purpose grain and silage hybrid. Excellent yield potential with good drydown. An attractive corn that has impressive stay-green and plant health. Well-balanced plant with nice stature.

- Moves well north of primary area of adaptation
- Very good seedling vigour makes it a good choice for early planting
- Good flex in moderate yielding conditions

CHARACTERISTICS

Relative Maturity	79 Days
Emergence	●●●●●●○○
Grain Drydown	●●●●●●●●
Staygreen	●●●●●●○○
Drought Tolerance	●●●●●●○○
Test Weight	●●●●●●○○
Plant Health	●●●●●●●●

MANAGEMENT

Low Populations	●●●○○○○○
Med Populations	●●●●●●○○
High Populations	●●●●●●○○
Marginal Soil	●●●●●●●●
Productive Soil	●●●●●●○○
Continuous Corn	●●●●○○○○
Adapt to No-Till	●●●●●●●●

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○
Gray Leaf Spot	●●●●●●○○
Anthracnose	●●●●●●○○
Gibberella Ear Mould	●●●●●●●●
Fungicide Response	●●●●●●○○
Tar Spot	--

Mid Flowering: 1125 GDU

Plant Height: MT

Ear Type: SF

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●●●

NOTES

Growing Degree Days (GDD)

Flowering A • **Black Layer** 2235

Planting Rate 32-36 000 Plants per Acre

A4848 G2 RIB

VTDoublePRO RIB COMPLETE

2375 CHU

Provides trait protection for above ground insects. Medium length/girthy ears producing quality clean grain. Shows stable yield in it's adapted maturity zone. Desirable yield to moisture ratios.

- Solid yield potential in stress environments
- Strong spring emergence and vigour
- Impressive season-long stalk and root strength

CHARACTERISTICS

Relative Maturity	80 Days
Emergence	●●●●●●○○
Grain Drydown	●●●●●●●●
Staygreen	●●●●●●○○
Drought Tolerance	●●●●●●○○
Test Weight	●●●●●●○○
Plant Health	●●●●●●●●

MANAGEMENT

Low Populations	●●●●●●●●
Med Populations	●●●●●●●●
High Populations	●●●●●●○○
Marginal Soil	●●●●●●●●
Productive Soil	●●●●●●○○
Continuous Corn	●●●●○○○○
Adapt to No-Till	●●●●●●●●

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○
Gray Leaf Spot	●●●●●●○○
Anthracnose	●●●●●●○○
Gibberella Ear Mould	●●●●●●●●
Fungicide Response	●●●●○○○○
Tar Spot	--

Mid Flowering: 1130 GDU

Plant Height: M

Ear Type: SF

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●●●

NOTES

Growing Degree Days (GDD)

Flowering E • **Black Layer** 2240

Planting Rate 32-36 000 Plants per Acre

A4939 G2 RIB

VTDoublePRO RIB COMPLETE

2400 CHU

Proven track record over multiple years. Strong yield potential across enviroments and populations. Great choice for grain and silage usage. Consistent, girthy ear style.

- Perform well at high populations
- Good Goss's Wilt tolerance
- Maintains plant integrity and attractive appearance through late season.

CHARACTERISTICS

Relative Maturity	81 Days
Emergence	●●●●●●○○
Grain Drydown	●●●●●●○○
Staygreen	●●●●●●○○
Drought Tolerance	●●●●●●○○
Test Weight	●●●●●●○○
Plant Health	●●●●●●○○

MANAGEMENT

Low Populations	●●●●●●●
Med Populations	●●●●●●●
High Populations	●●●●○○○
Marginal Soil	●●●●●●●
Productive Soil	●●●●●●○
Continuous Corn	●●●●○○○
Adapt to No-Till	●●●●●●○

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○	Gibberella Ear Mould	●●●●●●○○
Gray Leaf Spot	●●●●○○○○	Fungicide Response	●●●●○○○○
Anthracnose	●●●●●●○○	Tar Spot	--

Mid Flowering: 1140 GDU

Plant Height: MT

Ear Type: SF

Stalk Strength ●●●●●●○○

Root Strength ●●●●●●●●

Growing Degree Days (GDD)

Flowering A • **Black Layer** 2250

Planting Rate 30-34 000 Plants per Acre

NOTES

A5225 G2 RIB

VTDoublePRO RIB COMPLETE

2575 CHU

Proven focus hybrid with outstanding performance over many years. A medium-statured plant featuring consistent yield potential and strong agronomics. This grain hybrid has open flared husks for enhanced drydown.

- Rapid emergence and strong spring vigour
- Best performance with aggessive populations
- Excellent late season intactness with good Goss's Wilt tolerance

CHARACTERISTICS

Relative Maturity	84 Days
Emergence	●●●●●●●●
Grain Drydown	●●●●●●●●
Staygreen	●●●●●●○○
Drought Tolerance	●●●●○○○○
Test Weight	●●●●●●○○
Plant Health	●●●●●●○○

MANAGEMENT

Low Populations	●●●●○○○○
Med Populations	●●●●○○○○
High Populations	●●●●●●○○
Marginal Soil	●●●●○○○○
Productive Soil	●●●●●●○○
Continuous Corn	●●○○○○○○
Adapt to No-Till	●●●●○○○○

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○	Gibberella Ear Mould	●●●●●●○○
Gray Leaf Spot	●●●●●●●●	Fungicide Response	●●●●●●○○
Anthracnose	●●●●●●○○	Tar Spot	--

Mid Flowering: 1150 GDU

Plant Height: M

Ear Type: F

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●●●

Growing Degree Days (GDD)

Flowering E • **Black Layer** 2290

Planting Rate 34-36 000 Plants per Acre

NOTES

A5292 GB RIB

SmartStax RIB COMPLETE

NEW 2600 CHU

Strong emergence and rapid seedling vigour. Impressive disease tolerance ratings. Excellent opportunity for positioning for corn rootworm trait protection. Ideal usage as grain hybrid, yet offering strong value as a silage choice.

- Rapid emergence and strong spring vigour
- Perform very well in high yielding environments
- Great choice for corn on corn rotations and no-till practices

CHARACTERISTICS

Emergence	●●●●●●●●
Grain Drydown	●●●●●●●●
Staygreen	●●●●●●○○
Drought Tolerance	●●●●●●○○
Test Weight	●●●●●●○○
Plant Health	●●●●●●○○
Relative Maturity	85 Days

MANAGEMENT

Low Populations	●●●●○○○○
Med Populations	●●●●●●○○
High Populations	●●●●●●●●
Marginal Soil	●●●●●●○○
Productive Soil	●●●●●●○○
Continuous Corn	●●●●●●●●
Adapt to No-Till	●●●●●●●●

DISEASE TOLERANCE

N Leaf Blight	●●●●●●●●
Gray Leaf Spot	●●●●●●○○
Anthracnose	●●●●●●●●
Gibberella Ear Mould	●●●●●●○○
Fungicide Response	●●●●●●○○
Tar Spot	--

Mid Flowering: 1160 GDU

Plant Height: M

Ear Type: SF

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●●●

NOTES

Growing Degree Days (GDD)

Flowering A • **Black Layer** 2295

Planting Rate 34-36 000 Plants per Acre

A5424 G2 RIB

VTDoublePRO RIB COMPLETE

NEW 2625 CHU

Provides trait protection for above ground insects. Top end yield potential, reliable agronomics, and strong disease tolerance combine for a robust agronomic package. Take-anywhere hybrid with exciting yields. Medium length/girthy ears producing quality clean grain. Strong agronomic package provides placement versatility.

- Strong spring emergence and vigour
- Very good plant health
- Impressive season-long stalk and root strength

CHARACTERISTICS

Emergence	●●●●●●○○
Grain Drydown	●●●●●●●●
Staygreen	●●●●●●●●
Drought Tolerance	●●●●●●●●
Test Weight	●●●●●●○○
Plant Health	●●●●●●○○
Relative Maturity	85 Days

MANAGEMENT

Low Populations	●●●●●●○○
Med Populations	●●●●●●●●
High Populations	●●●●●●●●
Marginal Soil	●●●●●●●●
Productive Soil	●●●●●●●●
Continuous Corn	●●●●●●○○
Adapt to No-Till	●●●●●●○○

DISEASE TOLERANCE

N Leaf Blight	●●●●●●●●
Gray Leaf Spot	●●●●●●○○
Anthracnose	●●●●●●●●
Gibberella Ear Mould	●●●●●●○○
Fungicide Response	●●●●○○○○
Tar Spot	--

Mid Flowering: 1155 GDU

Plant Height: MT

Ear Type: SF

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●●●

NOTES

Growing Degree Days (GDD)

Flowering E • **Black Layer** 2300

Planting Rate 32-36 000 Plants per Acre

A5432 G2 RIB

VTDoublePRO RIB COMPLETE

2650 CHU

Proven performance with strong yield potential. Flexible as a dual-purpose usage hybrid. Early flowering with very strong late season intactness and stalk strength for a taller plant. Great drought and stress tolerance.

- Rapid drydown allows for early harvest
- Populations should be kept on the higher side
- Utilize as a dual-purpose hybrid

CHARACTERISTICS

Emergence	●●●●●●●●
Grain Drydown	●●●●●●●○
Staygreen	●●●●●●○○
Drought Tolerance	●●●●●●●●
Test Weight	●●●●●●●●
Plant Health	●●●●●●○○
Relative Maturity	86 Days

MANAGEMENT

Low Populations	●●●●●●●●
Med Populations	●●●●●●●●
High Populations	●●●●●●○○
Marginal Soil	●●●●●●●●
Productive Soil	●●●●●●●●
Continuous Corn	●●●●○○○○
Adapt to No-Till	●●●●●●●●

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○
Gray Leaf Spot	●●●●●●○○
Anthracnose	●●●●●●○○

Gibberella Ear Mould	●●●●●●○○
Fungicide Response	●●●●●●○○
Tar Spot	--

Mid Flowering: 1170 GDU

Plant Height: T

Ear Type: SF

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●●●

Growing Degree Days (GDD)

Flowering A • **Black Layer** 2310

Planting Rate 32-36 000 Plants per Acre

NOTES

A5909 G2 RIB

VTDoublePRO RIB COMPLETE

2675 CHU

Proven benchmark winner with exceptional grain quality. Excellent late season intactness with very good stalk strength and late season health. Very good test weight with fast drydown. Can position north given early flowering for maturity rating. Very strong yield and agronomics. Produces consistent girthy, blocky ears.

- Attractive agronomic characteristics
- Exceptional grain quality as key attribute
- Early flowering for fast grain setup

CHARACTERISTICS

Relative Maturity	88 Days
Emergence	●●●●●●●●
Grain Drydown	●●●●●●●●
Staygreen	●●●●●●○○
Drought Tolerance	●●●●●●○○
Test Weight	●●●●●●●●
Plant Health	●●●●●●●●

MANAGEMENT

Low Populations	●●●●●●●●
Med Populations	●●●●●●●●
High Populations	●●●●●●○○
Marginal Soil	●●●●●●●●
Productive Soil	●●●●●●○○
Continuous Corn	●●●●●●○○
Adapt to No-Till	●●●●●●●●

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○
Gray Leaf Spot	●●●●●●○○
Anthracnose	●●●●●●○○

Gibberella Ear Mould	●●●●●●●●
Fungicide Response	●●●●○○○○
Tar Spot	--

Mid Flowering: 1175 GDU

Plant Height: MT

Ear Type: SF

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●●●

Growing Degree Days (GDD)

Flowering E • **Black Layer** 2320

Planting Rate 32-36 000 Plants per Acre

NOTES

NOTES

SILAGE CORN HYBRIDS

AS1017 G1 RR EDF

Roundup Ready 2 CORN

2050-2250 CHU

Ideal choice for short season silage production. Superb forage yields from an early silage, high-moisture corn, offering opportunity in shorter season growing areas. Slow grain-drying rate preserves reliable and consistent feed quality at ideal moisture content. Strong emergence and aggressive spring vigour. A solid fit for beef feedlot operations. Tall, uniform plant height. Produces consistent ear size with flint kernels on white cob.

- High Milk & Beef per Acre values
- Widely adapted East to West in varying growing environments
- Handles tough, variable soils, as well as highly productive soils

CHARACTERISTICS

Relative Maturity	71-76 Days
Emergence	●●●●●●○○
Drought Tolerance	●●●●●●●●
Staygreen	●●●●●●○○
Plant Health	●●●●●●●●
Crude Protein	●●●●○○○○
NDFD	●●●●●●○○
Starch	●●●●●●○○
Milk / Beef per Acre	●●●●●●●●
Milk / Beef per Tonne	●●●●●●●●

MANAGEMENT

Low Populations	●●●●○○○○
Med Populations	●●●●●●○○
High Populations	●●●●●●●●
Marginal Soil	●●●●●●○○
Productive Soil	●●●●●●●●
Continuous Corn	●●●●○○○○
Grazing Suitability	●●●●●●●●

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○
Gray Leaf Spot	●●●●●●○○
Anthracnose	●●●●●●○○

Fungicide Response	●●●●●●○○
Goss' Wilt	●●○○○○○○
Tar Spot	--

EDF EDP

Mid Flowering: 1125 GDU

Plant Height: T

Ear Type: F

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●●●

Growing Degree Days (GDD)

Flowering: L

Planting Rate 30-36 000 Plants per Acre

NOTES

AS1018 G2 EDF RIB

VT DoublePRO RIB COMPLETE

NEW **2050-2250 CHU**

Silage specific hybrid with above ground insect trait protection. Ideal choice for short season silage production. Superb forage yields from an early silage, high-moisture corn, offering opportunity in shorter season growing areas. Slow grain-drying rate preserves reliable and consistent feed quality at ideal moisture content. Strong emergence and aggressive spring vigour. A solid fit for beef feedlot operations. Tall, uniform plant height. Produces consistent ear size with flint kernels on white cob.

- High Milk & Beef per Acre values
- Widely adapted East to West in varying growing environments
- Handles tough, variable soils, as well as highly productive soils

CHARACTERISTICS

Relative Maturity	71-76 Days
Emergence	●●●●●●○○
Drought Tolerance	●●●●●●○○
Staygreen	●●●●●●●●
Plant Health	●●●●●●●●
Crude Protein	●●●●○○○○
NDFD	●●●●●●○○
Starch	●●●●●●○○
Milk / Beef per Acre	●●●●●●●●
Milk / Beef per Tonne	●●●●●●●●

MANAGEMENT

Low Populations	●●●●○○○○
Med Populations	●●●●●●○○
High Populations	●●●●●●○○
Marginal Soil	●●●●●●○○
Productive Soil	●●●●●●●●
Continuous Corn	●●●●●●○○
Grazing Suitability	●●●●●●●●

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○
Gray Leaf Spot	●●●●●●○○
Anthracnose	●●●●●●○○

Fungicide Response	●●●●●●●●
Goss' Wilt	●●○○○○○○
Tar Spot	--

EDF EDP

Mid Flowering: 1125 GDU

Plant Height: T

Ear Type: F

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●●●

Growing Degree Days (GDD)

Flowering: L

Planting Rate 30-36 000 Plants per Acre

NOTES

A4414 G1 RR

Roundup Ready 2 CORN 2

2050-2125 CHU

Features dual-purpose grain and silage characteristics. Combines early maturity with very good digestibility for high energy yield. Stable performer on challenging sites where early harvesting is a necessity. Outstanding emergence, standability and health. Long-lasting stay-green. Early grain maturity, ensuring a high starch content and an early harvest. Maximum starch yield candidate.

- Superior emergence for diverse soil placement
- Great stalks and plant health
- Strong starch and protein values

CHARACTERISTICS

Relative Maturity	72-75 Days
Emergence	●●●●●●●●
Drought Tolerance	●●●●●●○○
Staygreen	●●●●●●●●
Plant Health	●●●●●●●●
Crude Protein	●●●●●●○○
NDFD	●●●●●●○○
Starch	●●●●●●○○
Milk / Beef per Acre	●●●●●●○○
Milk / Beef per Tonne	●●●●●●○○

MANAGEMENT

Low Populations	●●●○○○○○
Med Populations	●●●●●●○○
High Populations	●●●●●●●●
Marginal Soil	●●●●●●●●
Productive Soil	●●●●●●○○
Continuous Corn	●●●●○○○○
Grazing Suitability	●●●●●●●●

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○
Gray Leaf Spot	●●●●●●○○
Anthracnose	●●●●○○○○

Fungicide Response	●●●●●●○○
Goss' Wilt	●●○○○○○○
Tar Spot	--

EDF EDP

Mid Flowering: 1110 GDU

Plant Height: T

Ear Type: F

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●●●

Growing Degree Days (GDD)

Flowering: A

Planting Rate 32-36 000 Plants per Acre

NOTES

A4705 G1 HMRR

Roundup Ready 2 CORN 2

2200-2350 CHU

Benchmark product for the silage, grazing and high-moisture corn grower. Ideal for securing an early harvest regardless of planting date. Slow grain drying rate preserves reliable and consistent feed quality at ideal moisture content for a wide harvest window. Positive digestibilty-to-starch ratio and exceptionally long lasting staygreen. Consistently high quality energy content and intake potential. Excellent for grazing use with high yield, nutritition and strong stalks. Solid fit for beef or dairy operations.

- High forage yield potential and high beef per tonne potential
- Resilient staygreen and drought tolerance
- Strong emergence and aggressive spring vigour

CHARACTERISTICS

Relative Maturity	74-77 Days
Emergence	●●●●●●○○
Drought Tolerance	●●●●●●●●
Staygreen	●●●●●●●●
Plant Health	●●●●●●○○
Crude Protein	●●●●●●●●
NDFD	●●●●●●○○
Starch	●●●●●●○○
Milk / Beef per Acre	●●●●●●○○
Milk / Beef per Tonne	●●●●●●●●

MANAGEMENT

Low Populations	●●●●○○○○
Med Populations	●●●●●●●●
High Populations	●●●●●●○○
Marginal Soil	●●●●●●●●
Productive Soil	●●●●●●○○
Continuous Corn	●●●●○○○○
Grazing Suitability	●●●●●●●●

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○
Gray Leaf Spot	●●●●●●○○
Anthracnose	●●●●○○○○

Fungicide Response	●●●●●●○○
Goss' Wilt	●●●●●●○○
Tar Spot	--

EDF EDP

Mid Flowering: 1120 GDU

Plant Height: MT

Ear Type: SF

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●●●

Growing Degree Days (GDD)

Flowering: E

Planting Rate 32-36 000 Plants per Acre

NOTES

A4646 G2 RIB

VTDoublePRO RIB COMPLETE

2175-2275 CHU

Dual-purpose silage and grain hybrid with the benefit of above ground insect trait protection. This hybrid is diverse in soil type placement and management across the country. This hybrid gives growers the opportunity to harvest early in the season.

- Early grain maturity, ensuring a high starch content and an early harvest
- Strong emergence, standability and plant health
- Combines very good digestibility and high starch content for high energy yield

CHARACTERISTICS

Relative Maturity	75-77 Days
Emergence	●●●●●●○○
Drought Tolerance	●●●●●●○○
Staygreen	●●●●●●○○
Plant Health	●●●●●●●●
Crude Protein	●●●●●●○○
NDFD	●●●●●●○○
Starch	●●●●●●●●
Milk / Beef per Acre	●●●●●●○○
Milk / Beef per Tonne	●●●●●●○○

MANAGEMENT

Low Populations	●●●○○○○
Med Populations	●●●●●●●●
High Populations	●●●●●●○○
Marginal Soil	●●●●●●●●
Productive Soil	●●●●●●○○
Continuous Corn	●●●●●●○○

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○
Gray Leaf Spot	●●●●●●○○
Anthracnose	●●●●●●○○
Fungicide Response	●●●●○○○○
Goss' Wilt	●●●●●●○○
Tar Spot	--

EDF EDP

Mid Flowering: 1125 GDU

Plant Height: MT

Ear Type: SF

Stalk Strength ●●●●●●○○

Root Strength ●●●●●●●●

NOTES

Growing Degree Days (GDD)

Flowering: A

Planting Rate 32-36 000 Plants per Acre

A4848 G2 RIB

VTDoublePRO RIB COMPLETE

2375 CHU

Provides trait protection for above ground insects. Medium length/girthy ears producing quality clean grain. Shows stable yield in it's adapted maturity zone. Desirable yield to moisture ratios.

- Solid yield potential in stress environments
- Strong spring emergence and vigour
- Impressive season-long stalk and root strength

CHARACTERISTICS

Relative Maturity	80 Days
Emergence	●●●●●●○○
Grain Drydown	●●●●●●●●
Staygreen	●●●●●●○○
Drought Tolerance	●●●●●●○○
Test Weight	●●●●●●○○
Plant Health	●●●●●●●●

MANAGEMENT

Low Populations	●●●●●●●●
Med Populations	●●●●●●●●
High Populations	●●●●●●○○
Marginal Soil	●●●●●●●●
Productive Soil	●●●●●●○○
Continuous Corn	●●●●○○○○
Adapt to No-Till	●●●●●●●●

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○
Gray Leaf Spot	●●●●●●○○
Anthracnose	●●●●●●○○
Gibberella Ear Mould	●●●●●●●●
Fungicide Response	●●●●○○○○
Tar Spot	--

EDF EDP

Mid Flowering: 1130 GDU

Plant Height: M

Ear Type: SF

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●●●

NOTES

Growing Degree Days (GDD)

Flowering E • **Black Layer** 2240

Planting Rate 32-36 000 Plants per Acre

A4939 G2 RIB

VTDoublePRO RIB COMPLETE

NEW

2225-2375 CHU

A proven dual-purpose silage or grain hybrid choice for varying soil types. Maximum starch yield with rock solid performance. An excellent dual-purpose grain or silage hybrid choice for varying soil types. Very good option for high nutritional value with maximum starch yield.

- Ideal balance of forage yield and energy content
- Consistent top-end tonnage punch with flex ears
- Outstanding health and agronomics

CHARACTERISTICS

Relative Maturity	76-78 Days
Emergence	●●●●●●○○
Drought Tolerance	●●●●●●○○
Staygreen	●●●●●●○○
Plant Health	●●●●●●○○
Crude Protein	●●●●●●○○
NDFD	●●●●●●○○
Starch	●●●●●●●●
Milk / Beef per Acre	●●●●●●○○
Milk / Beef per Tonne	●●●●●●○○

MANAGEMENT

Low Populations	●●●●●●○○
Med Populations	●●●●●●●●
High Populations	●●●●○○○○
Marginal Soil	●●●●●●●●
Productive Soil	●●●●●●○○
Continuous Corn	●●●●●●○○

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○
Gray Leaf Spot	●●●●○○○○
Anthracnose	●●●●●●○○
Fungicide Response	●●●●●●○○
Goss' Wilt	●●●●●●○○
Tar Spot	--

EDF EDP

Mid Flowering: 1140 GDU

Plant Height: MT

Ear Type: SF

Stalk Strength ●●●●●●○○

Root Strength ●●●●●●●●

NOTES

Growing Degree Days (GDD)

Flowering: A

Planting Rate 30-34 000 Plants per Acre

AS1027 G1 RR EDF

Roundup Ready 2 CORN

2250-2425 CHU

Rewards growers with high yields for an early harvest. Excellent silage characteristics, yield and energy content. Slow grain and plant drying rate preserves reliable and consistent feed quality at ideal moisture content. Excellent choice for beef feedlot producers.

- Strong choice for high moisture corn or silage feed
- Very tall plant with consistent ears that produce flint kernels on white cob
- Additional staygreen for a wider harvest window

CHARACTERISTICS

Relative Maturity	77-80 Days
Emergence	●●●●●●●●
Drought Tolerance	●●●●●●○○
Staygreen	●●●●●●●●
Plant Health	●●●●●●●●
Crude Protein	●●●●○○○○
NDFD	●●●●●●●●
Starch	●●●●○○○○
Milk / Beef per Acre	●●●●●●●●
Milk / Beef per Tonne	●●●●●●○○

MANAGEMENT

Low Populations	●●●●●●●●
Med Populations	●●●●●●○○
High Populations	●●●●○○○○
Marginal Soil	●●●●●●○○
Productive Soil	●●●●●●●●
Continuous Corn	●●●○○○○○

DISEASE TOLERANCE

N Leaf Blight	●●●●○○○○
Gray Leaf Spot	●●●●○○○○
Anthracnose	●●●●●●○○
Fungicide Response	●●●●●●○○
Goss' Wilt	●●○○○○○○
Tar Spot	--

EDF EDP

Mid Flowering: 1135 GDU

Plant Height: VT

Ear Type: FL

Stalk Strength ●●●●○○○○

Root Strength ●●●●●●○○

NOTES

Growing Degree Days (GDD)

Flowering: A

Planting Rate 30-34 000 Plants per Acre

AS1028 G2 EDF RIB

VTDoublePRO RIB COMPLETE

NEW

2250-2425 CHU

Strong choice for high moisture corn or silage feed. Rewards growers with high yields for an early harvest. Very tall plant with consistent ears that produce flint kernels on white cob. Slow grain and plant drying rate preserves reliable and consistent feed quality at ideal moisture content. Additional stay-green nature for a wider harvest window.

- Silage specific hybrid with above ground insect trait protection
- Excellent choice for beef feedlot producers
- Excellent silage characteristics, yield and energy content

CHARACTERISTICS

Relative Maturity	77-80 Days
Emergence	●●●●●●●●
Drought Tolerance	●●●●●●○○
Staygreen	●●●●●●●●
Plant Health	●●●●●●●●
Crude Protein	●●●●○○○○
NDFD	●●●●●●●●
Starch	●●●●○○○○
Milk / Beef per Acre	●●●●●●●●
Milk / Beef per Tonne	●●●●●●○○

MANAGEMENT

Low Populations	●●●●●●●●
Med Populations	●●●●●●○○
High Populations	●●●●○○○○
Marginal Soil	●●●●●●●●
Productive Soil	●●●●●●●●
Continuous Corn	●●●●○○○○

DISEASE TOLERANCE

N Leaf Blight	●●●●○○○○
Gray Leaf Spot	●●●●○○○○
Anthracnose	●●●●●●○○
Fungicide Response	●●●●●●○○
Goss' Wilt	●●○○○○○○
Tar Spot	--

EDF EDP

Mid Flowering: 1135 GDU

Plant Height: VT

Ear Type: FL

Stalk Strength ●●●●○○○○

Root Strength ●●●●●●○○

Growing Degree Days (GDD)

Flowering: A

Planting Rate 30-34 000 Plants per Acre

NOTES

AS1047 G1 RR EDF

Roundup Ready 2 CORN

2300-2475 CHU

Massive dry matter type plant. Big, very tall plant with girthy ears that produce flint kernels on white cob. Slow plant and grain drying rate preserves reliable and consistent feed quality at ideal moisture content.

- Premium choice and long term standard for high volume silage feed
- Features consistent, heavy top-end tonnage
- Extremely well-suited for beef feedlot producers

CHARACTERISTICS

Relative Maturity	78-82 Days
Emergence	●●●●●●○○
Drought Tolerance	●●●●●●○○
Staygreen	●●●●●●●●
Plant Health	●●●●●●●●
Crude Protein	●●●●●●○○
NDFD	●●●●●●●●
Starch	●●●●○○○○
Milk / Beef per Acre	●●●●●●●●
Milk / Beef per Tonne	●●●●●●○○

MANAGEMENT

Low Populations	●●●●●●●●
Med Populations	●●●●●●●○
High Populations	●●●●○○○○
Marginal Soil	●●●●●●●●
Productive Soil	●●●●●●●●
Continuous Corn	●●●○○○○○

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○
Gray Leaf Spot	●●●●○○○○
Anthracnose	●●●●●●○○
Fungicide Response	●●●●○○○○
Goss' Wilt	●●●●●●○○
Tar Spot	--

EDF EDP

Mid Flowering: 1135 GDU

Plant Height: VT

Ear Type: FL

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●○○

Growing Degree Days (GDD)

Flowering: A

Planting Rate 34-36 000 Plants per Acre

NOTES

A5292 G8 RIB

SmartStax® RIB COMPLETE®

NEW

2400-2550 CHU

Dual-purpose silage or grain hybrid choice with the benefit of above and below ground insect trait protection. Not tall plant but gives an ideal balance of forage yield and energy content. Very good option for high nutritional value with maximum starch yield.

- Dual-purpose silage or grain hybrid choice
- Offers above and below ground insect trait protection
- Ideal balance of forage yield and energy content

CHARACTERISTICS

Relative Maturity	77-81 Days
Emergence	●●●●●●●●
Drought Tolerance	●●●●●●○○
Staygreen	●●●●●●○○
Plant Health	●●●●●●○○
Crude Protein	●●●●●●○○
NDFD	●●●●●●○○
Starch	●●●●●●●●
Milk / Beef per Acre	●●●●●●○○
Milk / Beef per Tonne	●●●●●●●●

MANAGEMENT

Low Populations	●●●○○○○
Med Populations	●●●●●●○
High Populations	●●●●●●●●
Marginal Soil	●●●●●●○
Productive Soil	●●●●●●●●
Continuous Corn	●●●●●●●●

DISEASE TOLERANCE

N Leaf Blight	●●●●●●●●
Gray Leaf Spot	●●●●●●○○
Anthracnose	●●●●●●●●

Fungicide Response	●●●●●●●●
Goss' Wilt	●●●●●●○○
Tar Spot	--

EDF EDP

Mid Flowering: 1160 GDU

Plant Height: M

Ear Type: SF

Stalk Strength ●●●●●●○○

Root Strength ●●●●●●●●

NOTES

Growing Degree Days (GDD)

Flowering: A

Planting Rate 34-36 000 Plants per Acre

A5432 G2 RIB

VT DoublePRO® RIB COMPLETE®

2500-2625 CHU

Unrivalled starch content and productive starch yield. Early flowering for maturity rating. Tall plant with consistent full ear and size. Good emergence, early vigour, standability and health ensures maximum performance.

- Proven dual purpose grain and silage performance
- Increased energy for more milk/beef produced
- Excellent drought and stress tolerance

CHARACTERISTICS

Relative Maturity	81-84 Days
Emergence	●●●●●●●●
Drought Tolerance	●●●●●●●●
Staygreen	●●●●●●○○
Plant Health	●●●●●●○○
Crude Protein	●●●●●●○○
NDFD	●●●●●●○○
Starch	●●●●●●○○
Milk / Beef per Acre	●●●●●●○○
Milk / Beef per Tonne	●●●●●●○○

MANAGEMENT

Low Populations	●●●●●●○○
Med Populations	●●●●●●●●
High Populations	●●●●●●●●
Marginal Soil	●●●●●●●●
Productive Soil	●●●●●●○○
Continuous Corn	●●●●●●○○

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○
Gray Leaf Spot	●●●●●●○○
Anthracnose	●●●●●●○○

Fungicide Response	●●○○○○○○
Goss' Wilt	●●●●●●○○
Tar Spot	--

EDF EDP

Mid Flowering: 1170 GDU

Plant Height: T

Ear Type: SF

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●●●

NOTES

Growing Degree Days (GDD)

Flowering: A

Planting Rate 32-36 000 Plants per Acre

A5686 G2 RIB

VTDoublePRO RIB COMPLETE

NEW | 2525-2650 CHU

A taller plant with medium tall ear height. Maximum starch yield with rock solid performance. Great plant to grain ratio for livestock producers. Very good digestibility with a solid grain component for high tonnage.

- Provides trait protection for above ground insects including European Corn Borer
- Ideal balance of forage yield and energy content
- Consistent blocky ears with deep kernels

CHARACTERISTICS

Relative Maturity	83-86 Days
Emergence	●●●●●●●●
Drought Tolerance	●●●●●●●●
Staygreen	●●●●○○○○
Plant Health	●●●●○○○○
Crude Protein	●●●●●●○○
NDFD	●●●●●●○○
Starch	●●●●●●●●
Milk / Beef per Acre	●●●●●●○○
Milk / Beef per Tonne	●●●●●●●●

MANAGEMENT

Low Populations	●●●○○○○○
Med Populations	●●●●●●●●
High Populations	●●●●●●○○
Marginal Soil	●●●●●●○○
Productive Soil	●●●●●●●●
Continuous Corn	●●●○○○○○

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○
Gray Leaf Spot	●●●●●●○○
Anthracnose	●●●●●●○○
Fungicide Response	●●●●●●●●
Goss' Wilt	●●●●●●○○
Tar Spot	--

EDF EDP

Mid Flowering: 1165 GDU

Plant Height: T

Ear Type: SF

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●●●

NOTES

Growing Degree Days (GDD)

Flowering: E

Planting Rate 32-36 000 Plants per Acre

A5977 G8 RIB

SmartStax RIB COMPLETE

2600-2700 CHU

Dual-purpose silage and grain feed for impressive top-end yield potential for maturity. Value-added above and below-ground insect trait protection for added flexibility for corn-on-corn rotations. Excellent emergence and aggressive seedling vigour. Medium/Tall plant with consistent ear size in a wide range of environments. Can benefit from increased plant population.

- Excellent stalks and roots
- Strong protein value per tonne
- Combines high starch content with digestibility

CHARACTERISTICS

Relative Maturity	84-88 Days
Emergence	●●●●●●○○
Drought Tolerance	●●●●●●○○
Staygreen	●●●●●●●●
Plant Health	●●●●●●●●
Crude Protein	●●●●●●●●
NDFD	●●●●●●○○
Starch	●●●●●●○○
Milk / Beef per Acre	●●●●●●○○
Milk / Beef per Tonne	●●●●●●○○

MANAGEMENT

Low Populations	●●●●○○○○
Med Populations	●●●●●●●○
High Populations	●●●●●●●●
Marginal Soil	●●●●○○○○
Productive Soil	●●●●●●●●
Continuous Corn	●●●●●●●●

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○
Gray Leaf Spot	●●●●●●○○
Anthracnose	●●●●●●○○
Fungicide Response	●●○○○○○○
Goss' Wilt	●●●●○○○○
Tar Spot	--

EDF EDP

Mid Flowering: 1135 GDU

Plant Height: MT

Ear Type: SF

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●●●

NOTES

Growing Degree Days (GDD)

Flowering: A

Planting Rate 32-36 000 Plants per Acre

A6260 GB RIB SmartStax RIB COMPLETE

2625-2725 CHU

Dual-purpose silage and grain feed for impressive top-end yield potential for maturity. Value-added above and below-ground insect trait protection for added flexibility for corn-on-corn rotations. Excellent emergence and aggressive seedling vigour. Medium/Tall plant with consistent ear size in a wide range of environments. Can benefit from increased plant population.

- Dual-purpose silage and grain feed
- Value-added above and below-ground insect
- Combines high starch content with digestibility

CHARACTERISTICS

Relative Maturity	85-89 Days
Emergence	●●●●●●●●
Drought Tolerance	●●●●●●○○
Staygreen	●●●●●●○○
Plant Health	●●●●●●●●
Crude Protein	●●●●●●○○
NDFD	●●●●●●○○
Starch	●●●●●●●●
Milk / Beef per Acre	●●●●●●○○
Milk / Beef per Tonne	●●●●●●○○

MANAGEMENT

Low Populations	●●●●●●○○
Med Populations	●●●●●●●●
High Populations	●●●●○○○○
Marginal Soil	●●●●●●●●
Productive Soil	●●●●●●○○
Continuous Corn	●●●●●●●●

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○
Gray Leaf Spot	●●●●●●○○
Anthracnose	●●●●●●○○

Fungicide Response	●●○○○○○○
Goss' Wilt	●●●●●●○○
Tar Spot	--

EDF EDP

Mid Flowering: 1190 GDU

Plant Height: MT

Ear Type: SF

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●●●

Growing Degree Days (GDD)

Flowering: E

Planting Rate 32-36 000 Plants per Acre

NOTES

A6015 C CONVENTIONAL

2650-2775 CHU

Standard in main crop corn forage. Conventional option with great dual-purpose characteristics for delivering high silage tonnage. Combines high starch content with digestibility to deliver superb energy-dense silage and impressive milk/acre levels.

- Potential for high tonnage
- Superb energy-dense silage with impressive milk/acre levels
- Long-lasting stay-green and plant health

CHARACTERISTICS

Relative Maturity	86-90 Days
Emergence	●●●●●●●●
Drought Tolerance	●●●●●●●●
Staygreen	●●●●●●●●
Plant Health	●●●●●●●●
Crude Protein	●●●●●●○○
NDFD	●●●●●●○○
Starch	●●●●●●●●
Milk / Beef per Acre	●●●●●●●●
Milk / Beef per Tonne	●●●●●●●●

MANAGEMENT

Low Populations	●●●●●●●●
Med Populations	●●●●●●○○
High Populations	●●●●○○○○
Marginal Soil	●●●●●●●●
Productive Soil	●●●●●●○○
Continuous Corn	●●●●○○○○

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○○
Gray Leaf Spot	●●●●●●○○
Anthracnose	●●●●●●○○

Fungicide Response	●●●●●●●●
Goss' Wilt	●●●●●●○○
Tar Spot	--

EDF EDP

Mid Flowering: 1200 GDU

Plant Height: M

Ear Type: SF

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●●●

Growing Degree Days (GDD)

Flowering: A

Planting Rate 30-34 000 Plants per Acre

NOTES

A6016 G1 RR

Roundup Ready 2 CORN 2

2650-2775 CHU

Standard in main crop corn forage. With dual-purpose characteristics for delivering high silage tonnage. Combines high starch content with digestibility to deliver superb energy-dense silage and impressive milk/ acre levels.

- Standard in main crop corn forage
- Long-lasting stay-green and plant health
- Superb energy-dense silage Impressive milk/ acre levels

CHARACTERISTICS

Relative Maturity	86-90 Days
Emergence	●●●●●●●●
Drought Tolerance	●●●●●●●●
Staygreen	●●●●●●●●
Plant Health	●●●●●●●●
Crude Protein	●●●●●●○○
NDFD	●●●●●●○○
Starch	●●●●●●●●
Milk / Beef per Acre	●●●●●●●●
Milk / Beef per Tonne	●●●●●●●●

MANAGEMENT

Low Populations	●●●●●●●●
Med Populations	●●●●●●○○
High Populations	●●●●○○○○
Marginal Soil	●●●●●●●●
Productive Soil	●●●●●●○○
Continuous Corn	●●●●○○○○

DISEASE TOLERANCE

N Leaf Blight	●●●●●●●●
Gray Leaf Spot	●●●●●●●●
Anthracnose	●●●●●●●●

Fungicide Response	●●○○○○○○
Goss' Wilt	●●●●●●○○
Tar Spot	--

EDF EDP

Mid Flowering: 1165 GDU

Plant Height: M

Ear Type: SF

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●●●

Growing Degree Days (GDD)

Flowering: A

Planting Rate 30-34 000 Plants per Acre

NOTES

A6018 G2 RIB

VT Double PRO RIB COMPLETE

2650-2700 CHU

Tried and True, providing consistent tonnage and feed value in varying growing environments Great dual-purpose characteristics for delivering high silage tonnage. Combines high starch content with digestibility to deliver superb energy-dense silage and impressive milk/acre levels. Safe maturity for the majority of mainstream sites in this maturity zone.

- Long-lasting stay-green and health
- Combines high starch content with digestibility
- Superb energy-dense silage Impressive milk/ acre levels

CHARACTERISTICS

Relative Maturity	86-90 Days
Emergence	●●●●●●●●
Drought Tolerance	●●●●●●●●
Staygreen	●●●●●●●●
Plant Health	●●●●●●●●
Crude Protein	●●●●●●○○
NDFD	●●●●●●○○
Starch	●●●●●●●●
Milk / Beef per Acre	●●●●●●●●
Milk / Beef per Tonne	●●●●●●●●

MANAGEMENT

Low Populations	●●●●●●●●
Med Populations	●●●●●●○○
High Populations	●●●●○○○○
Marginal Soil	●●●●●●●●
Productive Soil	●●●●●●○○
Continuous Corn	●●●○○○○○

DISEASE TOLERANCE

N Leaf Blight	●●●●●●●●
Gray Leaf Spot	●●●●●●●●
Anthracnose	●●●●●●●●

Fungicide Response	●●○○○○○○
Goss' Wilt	●●●●●●○○
Tar Spot	●●●●●●○○

EDF EDP

Mid Flowering: 1205 GDU

Plant Height: M

Ear Type: SF

Stalk Strength ●●●●●●●●

Root Strength ●●●●●●●●

Growing Degree Days (GDD)

Flowering: A

Planting Rate 30-34 000 Plants per Acre

NOTES

A6566 GB RIB

SmartStax RIB COMPLETE

2700-2850 CHU

Dual-purpose silage and grain hybrid. Combines an ideal ratio of yield/tonnage, digestibility with high starch and energy content. Long lasting staygreen and plant health. Ideal for continuous corn acres with its value-added above and below-ground insect trait protection.

- Combines an ideal ratio of yield/tonnage
- Ideal ratio of yield, digestibility with high starch and energy content
- Ideal for continuous corn acres

CHARACTERISTICS

Relative Maturity	88-95 Days
Emergence	●●●●○○○
Drought Tolerance	●●●●●●○
Staygreen	●●●●●●●
Plant Health	●●●●●●○
Crude Protein	●●●●●●○
NDFD	●●●●●●○
Starch	●●●●●●○
Milk / Beef per Acre	●●●●●●○
Milk / Beef per Tonne	●●●●●●○

MANAGEMENT

Low Populations	●●●●○○○
Med Populations	●●●●●●●
High Populations	●●●●●●○
Marginal Soil	●●●●●●○
Productive Soil	●●●●●●●
Continuous Corn	●●●●●●●

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○
Gray Leaf Spot	●●●●●●○
Anthracnose	●●●●●●○
Fungicide Response	●●●●●●●
Goss' Wilt	●●○○○○○
Tar Spot	●●○○○○○

EDF EDP

Mid Flowering: 1230 GDU

Plant Height: MT

Ear Type: SF

Stalk Strength ●●●●●●●

Root Strength ●●●●●●●●

Growing Degree Days (GDD)

Flowering: A

Planting Rate 32-36 000 Plants per Acre

NOTES

A6585 GB RIB

SmartStax RIB COMPLETE

2700-2850 CHU

Dual-purpose silage and grain hybrid with above and below ground insect trait protection. Combines an ideal ratio of yield/tonnage, digestibility with high starch and energy content. Very strong emergence and aggressive seedling vigour. Long lasting staygreen and plant health.

- Tough and resilient under stress
- Widley adapted to high and moderate productivity soils
- Strong stalks and roots

CHARACTERISTICS

Relative Maturity	88-95 Days
Emergence	●●●●●●●
Drought Tolerance	●●●●●○○
Staygreen	●●●●●○○
Plant Health	●●●●●●●
Crude Protein	●●●●●○○
NDFD	●●●●●○○
Starch	●●●●●○○
Milk / Beef per Acre	●●●●●○○
Milk / Beef per Tonne	●●●●●○○

MANAGEMENT

Low Populations	●●●●○○○
Med Populations	●●●●●●●
High Populations	●●●●●●○
Marginal Soil	●●●●●●○
Productive Soil	●●●●●●●
Continuous Corn	●●●●●●●

DISEASE TOLERANCE

N Leaf Blight	●●●●●●●
Gray Leaf Spot	●●●●●○○
Anthracnose	●●●●●●●
Fungicide Response	●●●●○○○
Goss' Wilt	●●●●○○○
Tar Spot	●●●●○○○

EDF EDP

Mid Flowering: 1200 GDU

Plant Height: MT

Ear Type: SF

Stalk Strength ●●●●●●●

Root Strength ●●●●●●●●

Growing Degree Days (GDD)

Flowering: A

Planting Rate 32-34 000 Plants per Acre

NOTES

AS1097 GB

SmartStax RIB COMPLETE

EDF RIB

2775-2925 CHU

Highly digestible leafy hybrid with value-added above and below-ground insect protection, especially for corn-on-corn rotations. Long, ideal harvest window with slow rate of drydown in plant and ear. Keep population at 28,000- 30,000 pl/ac for maximum balance of fibre and starch digestibility. Large ears have kernels with soft texture to increase digestibility. Tall plant with excellent standability.

- Highly digestible leafy hybrid
- Features above and below-ground insect protection
- Excellent choice to form a strong basis of your ration

CHARACTERISTICS

Relative Maturity	91-98 Days
Emergence	●●●●○○○
Drought Tolerance	●●●●●●○
Staygreen	●●●●●●●
Plant Health	●●●●●●○
Crude Protein	●●●●●●●
NDFD	●●●●●●●
Starch	●●●●●●○
Milk / Beef per Acre	●●●●●●○
Milk / Beef per Tonne	●●●●●●●

MANAGEMENT

Low Populations	●●●●●●○
Med Populations	●●●●●●●
High Populations	●●●●○○○
Marginal Soil	●●●●●●○
Productive Soil	●●●●●●●
Continuous Corn	●●●●●●●

DISEASE TOLERANCE

N Leaf Blight	●●●●●●○
Gray Leaf Spot	●●●●○○○
Anthracnose	●●●●●●○
Fungicide Response	●●○○○○○
Goss' Wilt	NR
Tar Spot	●●●●●●○

EDF EDP

Mid Flowering: 1245 GDU

Plant Height: T

Ear Type: SF

Stalk Strength ●●●●●●○

Root Strength ●●●●●●○

Growing Degree Days (GDD)

Flowering: A/L

Planting Rate 28-30 000 Plants per Acre

NOTES

NOTES

FIELD TALK

Agronomic support you can take to the field

PRIDE Seeds is there for you both in and out of the field. We're dedicated to providing you with the latest agronomic insights and support to help you succeed on your farm. Access our FIELD TALK resources on **prideseeds.com** for valuable information, or plan to attend a regional event in your area in 2025.

For more information, connect with your dedicated PRIDE Seeds team.

CORN EAR FLEX GUIDE



GRAIN FILL STAGES

- **R2** BLISTER STAGE
- **R3** MILK STAGE
- **R4** DOUGH STAGE
- **R5** DENT STAGE
- **R6** PHYSIOLOGICAL MATURITY

ESTIMATING PHYSIOLOGICAL MATURITY

Growth Stage	Soft Dough	Full Dent (R5)	Half Milk Line (R5.5)	3/4 Milkline (R5.75)	Blacklayer (R6)
Kernel Moisture	–	50-55%	40-45%	35-40%	30-35%
Est. Days to Maturity	~32	~21	~10	~5	~0

Understanding a hybrid's ear flex is important when matching a hybrid with yield environment. We rate ear flex for each hybrid based on how each hybrid's flex impacts it's yield potential. There are three ways an ear can flex to gain yield; ear length – the ear gains more kernels long as yield increases, ear girth – ear gains more kernels around as yield increases or kernel flex- kernels either gain size or weight as yield increases.

Each hybrid starts the season with the genetic potential to produce a certain size ear with a certain number of kernels. The hybrid flexes ear and kernel size downward to match the amount of starch it produces.

ENTER TO *Win* THE $75K SEED GIVEAWAY

FROM PRIDE SEEDS

For seven decades, PRIDE Seeds has stood alongside growers from coast to coast, becoming an integral part of your agricultural story. As we mark our 75th Anniversary, we extend our heartfelt thanks for your unwavering support.

To express our gratitude, PRIDE Seeds is excited to announce a special giveaway! **We're giving away $75,000 worth of corn seed to one lucky grower in Canada.**

How to Enter:

Join us at one of the eligible events PRIDE Seeds is attending or hosting. Take this opportunity to connect with our team members and enter for a chance to win!

Your continued support has been the key to our growth, and as we celebrate this milestone, we look forward to many more years of collaboration and success in agriculture.

For event details and more information, scan the QR code:

Thank you for being a part of the PRIDE Seeds family!

PRIDE SEEDS

6836 Pain Court Line, Pain Court, ON N0P 1Z0

HOURS OF OPERATION

Monday - Friday • 8:30 AM - 4:30 PM
Our office is closed for the following holidays:

New Year's Day.....Jan. 1
Family Day.....Feb. 19
Good Friday.....Mar. 29
Victoria Day.....May 20
Canada Day.....July 1
Civic Holiday.....Aug. 5
Labour Day.....Sept. 2
National Day of Truth & Reconciliation Sept. 30
Thanksgiving Day.....Oct. 14
Remembrance Day.....Nov. 11
Winter Break.....Dec. 23 - 31

HOW TO ORDER

Orders may be placed through your local PRIDE Seeds dealer.
To find the dealer closest to you, please visit:
prideseeds.com/find-a-dealer

ORDER ONLINE 24 HOURS A DAY

DealerCONNECT

Your local dealer can visit our website for up-to-date availability on all PRIDE Seeds products and to place your order.

THE PRIDE SEEDS ADVANTAGE

Take advantage of PRIDE Seeds payment options and programs* which include:

- Early cash discounts
- Flexible payment options including Visa and MasterCard
- Partner Plan extended credit programs to help manage cash flow

*See your Grower Program Guide for more details or contact us at 1-800-265-5280.

ORDER FORM

Date:

CONTACT / SHIPPING INFORMATION

Farm Name: PRIDE Seeds Zone:

Field Address: City: Province: Postal Code:

Contact Name: Contact Phone Number:

Email:

FARM INFORMATION

Total Corn Acres: Total Soybean Acres:

Corn Maturity (CHU): Soybean Maturity (CHU):

Dealer Name: Sales Representative:

Sales Rep Phone Number: Sales Rep Email:

ORDER INFORMATION

CORN

Previous Crop	Field Placement Notes	Hybrid	Traits	Population '000	Units

SOYBEANS

Previous Crop	Field Placement Notes	Variety	Traits	Seed Treatment	Population '000	140k Equiv.

All orders and sales are subject to the PRIDE Seeds Terms and Conditions of Sale, which include but are not limited to the Limitation of Warranty & Remedy and Agronomic Zone and Planting Year. All Terms and Conditions of Sale are subject to change from time to time without prior notice. For the most up to date Terms and Conditions of Sale, see the PRIDE Seeds website at: https://prideseeds.com/terms-of-sale#terms

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. These products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from these products can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for these products. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELLED AND APPROVED FOR SUCH USES. Contact the Pest Management Regulatory Agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology. Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your Bayer retailer, refer to the Bayer Technology Use Guide, or call the technical support line at 1-888-283-6847 for recommended Roundup Ready® Xtend Crop System weed control programs. Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, Roundup Ready® and XtendFlex® are registered trademarks of Bayer Group. Used under license. LibertyLink® and LibertyLink® logo are registered trademarks of BASF. Used under license.©2024 Bayer Group. All rights reserved.

Roundup Ready® 2 Technology contains genes that confer tolerance to glyphosate. Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Roundup Ready 2 Xtend® soybeans contains genes that confer tolerance to glyphosate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your Bayer retailer, refer to the Bayer Technology Use Guide, or call the technical support line at 1-888-283-6847 for recommended Roundup Ready® Xtend Crop System weed control programs.

Use Limitations for HarvXtra® Alfalfa with Roundup Ready® Technology. HarvXtra® Alfalfa with Roundup Ready® Technology hay or hay products must be directed only to Canadian or U.S. domestic uses. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their product purchaser to confirm their buying position for this product. This technology may be sold and plated only in the provinces of Ontario, Québec, New Brunswick, Nova Scotia, Prince Edward Island and Newfoundland. Please contact Forage Genetics International at 855-237-9897 or refer to the Technology Use Guide for additional information.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS: Roundup Ready 2 Technology® contains genes that confer tolerance to glyphosate. Glyphosate will kill crops that are not tolerant to glyphosate. Insect control technology provided by Vip3A is utilized under license from Syngenta Crop Protection AG. RIB Complete®, Roundup Ready® and Trecepta® are registered trademarks of Bayer Group. Used under license. Agrisure Viptera® is a registered trademark of a Syngenta group company. Used under license. ©2024 Bayer Group All rights reserved.

Seed products with the LibertyLink® (LL) trait are resistant to the herbicide glufosinate ammonium, an alternative to glyphosate in corn, and combine high-yielding genetics with the powerful, non-selective, post-emergent weed control of Liberty® herbicides for optimum yield and excellent weed control. Consult bag tags for E-Z Refuge® product herbicide options. Only those labeled EZ1 may be sprayed with glufosinate ammonium based herbicides, including Liberty® herbicide. LibertyLink®, Liberty® and the Water Droplet logo are registered trademarks of BASF. Consult bag tags for E-Z Refuge product herbicide options.

Corn trait technology incorporated into these seeds is commercialized under license from Syngenta Seeds, LLC. Herculex® Technology incorporated into these seeds is commercialized under license from Corteva Agriscience LLC.

PRODUCT USE STATEMENT: Enlist E3™ soybeans contain the Enlist E3 trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist™ crops are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist E3 soybeans.
WARNING: Enlist E3 soybeans are tolerant of over-the top applications of glyphosate, glufosinate, and 2,4-D. Accidental application of incompatible herbicides to this variety could result in total crop loss. When using 2,4-D herbicides, grower agrees to only use 2,4-D products that contain Colex-D technology authorized for use in conjunction with Enlist E3 soybeans.

ALWAYS READ AND FOLLOW HERBICIDE LABEL DIRECTIONS PRIOR TO USE. Enlist™ 1 and Enlist Duo™ are the only 2,4-D products authorized for use with Enlist crops. Consult Enlist herbicide labels for weed species controlled. Additional product-specific stewardship requirements for Enlist crops, including the Enlist™ Product Use Guide, can be found at www.EnlistCanada.ca Always read and follow label directions. The transgenic soybean event in the Enlist E3® soybean was jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C. DuracadeViptera™, E-Z Refuge®, Fortenza® and Vayantis® are trademarks of a Syngenta Group Company. More information about Duracade® is available at www.biotradestatus.com.
Important: Always read and follow label instructions. Some products may not be registered for sale or use in all states or counties. Please check with your local extension service to ensure registration status.

YOU MUST SIGN A TECHNOLOGY AGREEMENT, READ THE PRODUCT USE GUIDE PRIOR TO PLANTING. THIS SEED IS ACQUIRED UNDER AN AGREEMENT THAT INCLUDES THE FOLLOWING TERMS: A license must first be obtained from Corteva Agriscience by signing a Technology Use Agreement and abiding by the terms and conditions of the Product Use Guides for all technologies in this seed, including the Herbicide Resistance Management (HRM), and Use Requirements detailed therein which can be found at www.corteva.ca/en/ trait-stewardship.html.

Corteva Agriscience is a member of Excellence Through Stewardship® (ETS). Corteva Agriscience products are commercialized in accordance with ETS product launch stewardship guidance and Corteva Agriscience's Product Launch Stewardship Policy. No crop or material produced from this product can be exported to, used, processed or sold across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. For further information about your crop or grain marketing options, contact Corteva Agriscience at 1-800-667-3852. Information regarding the regulatory and market status of agricultural biotechnology products can be found at: www. biotradestatus.com.

These seeds are covered under Corteva Agriscience and M.S. Technologies, L.L.C. Patent Rights which can be found at: www. corteva.us/Resources/trait-stewardship.html. The purchase of these seeds conveys no license under said patents to use these seeds.

PATENT INFORMATION: The transgenic soybean event in the Enlist E3™ soybean is protected under Corteva Agriscience and M.S. Technologies, L.L.C. Patent Rights which can be found at: www.corteva.ca/en/trait-stewardship.html. The purchase of these seeds conveys no license under said patents to use these seeds.

For more information, contact your authorized retailer or Corteva Agriscience at 1-800-667-3852 or visit www. corteva.ca/en/trait-stewardship.html.

Important: Always read and follow label and bag tag instructions; only those labeled as tolerant to glufosinate may be sprayed with glufosinate ammonium based herbicides.

PRIDE Seeds offers insecticide & fungicide, fungicide only and untreated seed options subject to availability in all maturity ranges. Consult your local PRIDE Seeds dealer / PRIDE Sales Representative for more information on this or your Provincial regulations regarding seed treatments.

PRIDE®, the PRIDE Seeds Design®, and AgriShield™ are trademarks of AgReliant Genetics Inc. and its affiliated companies. Insect control technology provided by Vip3A is utilized under license from Syngenta Crop Protection AG. RIB Complete®, Roundup Ready 2 Technology and Design®, Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, Roundup Ready®, Roundup®, SmartStax®, Trecepta®, VT Double PRO® and XtendFlex® are registered trademarks of Bayer Group. Used under license. Liberty®, LibertyLink™ and LibertyLink logo® are trademarks of BASF. Used under license. Agrisure Viptera® is a registered trademark of a Syngenta group company. Used under license. LibertyLink® and the Water Droplet Design are trademarks of BASF. Used under license. Herculex® is a registered trademark of Dow AgroSciences LLC. Used under license. Bayer CropScience Inc. is a member of CropLife Canada. Agrisure Viptera®, E-Z Refuge®, and Agrisure Duracade® are trademarks of Syngenta Group Company. Used under license. LibertyLink®, Liberty®, and the Water Droplet Design are trademarks of BASF. Used under license. Herculex® is a registered trademark of Corteva Agriscience. Used under license. The transgenic soybean event in the Enlist E3™ soybean was jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C. ® Enlist, Enlist E3, the Enlist E3 logo, Enlist Duo and Colex-D are trademarks of Corteva Agriscience. Used under license. Excellence Through Stewardship® is a trademark of Excellence Through Stewardship. Respect the Refuge and Corn Design® and Respect the Refuge® are trademarks of National Corn Growers Association. Visa® is a registered trademark of Visa International. MasterCard® is a registered trademark of MasterCard International Incorporated. All other trademarks are the property of their respective owners.

Roundup Ready 2 TECHNOLOGY® LIBERTY LINK® Roundup Ready 2 YIELD® TECHNOLOGY®

Insect Resistance Management Planting Refuges, Preserving Technology

Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, **including applicable refuge requirements for insect resistance management,** for the biotechnology traits expressed in the seed as set forth in the Technology/Stewardship Agreement that you sign. By opening and using a bag of seed, you are reaffirming your obligation and agreement to comply with the most recent stewardship requirements.

PLANT THE SEED
REACH OUT TODAY

PRIDESeed

@prideseeds

@PRIDESeeds

PRIDE Seeds

prideseed.com

PRIDE SEEDS